



Femelles per a connector

Secondary Lock

| Figura | Referència | Sec. cable mm ² (AWG) | Ø Aïllant (mm) | Ø (mm) | L'auto Pre-Sn 01 | Espessor material (mm) | Quantitat bobina |
|--------|----------------|--|-------------------|--------|---------------------|------------------------------|---------------------|
| | 8519.** | 0,25-0,6 (24-20) | 0,8-2 | 2,12 | • | 0,32 | 6000 |
| | 8521.** | 0,75-1 (18) | 1-2,5 | | | | |
| | 8523.** | 1-2,1 (18-14) | 1,3-3,3 | | | | |
| | 8551.** | 1-2,5 (18-14) | 1,5-3,3 | | | | |
| | 8553.** | 3-5 (12-10) | 5 Max | | | | 3500 |

Mascles per a connector

Secondary Lock

| Figura | Referència | Sec. cable mm ² (AWG) | Ø Aïllant (mm) | L'auto Pre-Sn 01 | Espessor material (mm) | Quantitat bobina | |
|----------------|-----------------------|--|-------------------|---------------------|------------------------------|---------------------|--|
| | Poste sòlid | | | | | | |
| | 7519.** | 0,25-0,6 (24-20) | 0,8-2 | • | 0,32 | 6500 | |
| | 7521.** | 0,75-1 (18) | 1-2,5 | | | 6000 | |
| | 7523.** | 1-2,1 (18-14) | 1,5-3,3 | | | 3000 | |
| | 7551.** | 1-2,5 (18-14) | | | | 3500 | |
| 7553.** | 3-5 (12-10) | 5 Max | 3500 | | | | |
| | Poste partit | | | | | | |
| | 7525.** | 0,25-0,6 (24-20) | 0,8-2 | • | 0,32 | 6500 | |
| | 7527.** | 0,75-1 (18) | 1-2,5 | | | 6000 | |
| | 7529.** | 1-2,1 (18-14) | 1,5-3,3 | | | 3000 | |
| | 7557.** | 1-2,5 (18-14) | | | | 3500 | |
| 7559.** | 3-5 (12-10) | 5 Max | 3500 | | | | |

Connectors

Secondary Lock

| Figura | Referència | Num. Vies | PA66V2 Natural | PA66V0 Natural | NO FLAME Natural | PAVONF Natural |
|----------------------|----------------|-----------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| | 22251** | 1 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| <p>1 vía mascle</p> | | | | | | |
| | 22241** | 1 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| <p>1 vía femella</p> | | | | | | |
| | 22259** | 9 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| <p>9 vies Mascle</p> | | | | | | |

Connectors

Secondary Lock

Figura

| Referència | Num. Vies | PA66V2 Natural | PA66V0 Natural | NO FLAME Natural | PAV0NF Natural |
|------------|-----------|----------------|----------------|------------------|----------------|
| | | 10 | 30 | 40 | 60 |

9 vies 3x3 Hembra

22249**

9

