


UP TP SEK



Receptacles

Self-locking terminals under TP design

Figure	Part number	Wire size mm ² (AWG)	Ø Insulation (mm)	For male (mm)	Brass	Brass Pre-Sn	Bronze	Bronze Pre-Sn	German Silver	Material thickness (mm)	Winding number
					00	01	30	31	70		
	4912F**	0,2-0,5 (24-20)	1,2-1,6	4,8x0,5	•	•	•	•	•	0,35	3500
	4914F**			4,8x0,8	•	•	•	•	•		
	4912.**	0,5-1 (20-18)	1,8-2,5	4,8x0,5	•	•	•	•	•		
	4914.**			4,8x0,8	•	•	•	•	•		
	4912E**	0,5-1,5 (20-16)	1,8-2,5	4,8x0,5	•	•	•	•	•		
	4914E**			4,8x0,8	•	•	•	•	•		
	4916.**	1-2,5 (18-14)	3-4,3	4,8x0,5	•	•	•	•	•		
	4918.**			4,8x0,8	•	•	•	•	•		



Receptacle housings

Figure	Part number	Ways	PA66V2	Natural
			10	
	24819**	1	•	

Flags

Self-locking terminals under TP design

Figure	Part number	Wire size mm ² (AWG)	Ø Insulation (mm)	For male (mm)	00	01	30	31	70	Material thickness (mm)	Winding number
					Brass	Brass Pre-Sn	Bronze	Bronze Pre-Sn	German Silver		
	5716.**	0,5-1,5 (20-16)	1,9-3,3	4,8x0,5	•	•	•	•	•	0,35	4500
	5717.**			4,8x0,8	•	•	•	•	•		
	5718.**	1-2,5 (18-14)	3-3,8	4,8x0,5	•	•	•	•	•		3500
	5719.**			4,8x0,8	•	•	•	•	•		



Flag receptacle housings

Figure	Part number	Ways	10	30	40
			PA66V2 Natural	PA66V0 Natural	NO FLAME Natural
	24839.**	1	•	•	•

Receptacles

Self-locking terminals under TP design

Figure	Part number	Wire size mm ² (AWG)	Ø Insulation (mm)	For male (mm)	00	01	30	31	70	Material thickness (mm)	Winding number
					Brass	Brass Pre-Sn	Bronze	Bronze Pre-Sn	German Silver		
	4920.**	0,5-1 (20-18)	1,8-2,5	6,3x0,8	•	•	•	•	•	0,4	8000
	4921.**	0,5-1,5 (20-16)	2-3,3		•	•	•	•	•		7000
	4922.**	1-2,5 (18-14)	3-4,3		•	•	•	•	•		6000
	4924.**	2,5-5 (14-10)	3,6-5		•	•	•	•	•		



Receptacle housings

Figure	Part number	Ways	PA66V2	Natural
			10	
	26319**	1	•	

Receptacles

Receptacle Connectors

Figure	Part number	Ways	PA66V2	Natural
	5 ways Female P5495**	5		•

Flags

Self-locking terminals under TP design

Figure	Part number	Wire size mm ² (AWG)	∅ Insulation (mm)	For male (mm)	00	01	30	31	51	70	80	Material thickness (mm)	Winding number
	5725.**	0,5-1,5 (20-16)	1,9-3,3	6,3x0,8	•	•	•	•	•	•	•	0,4	3500
	5726.**	1,5-3 (16-12)	2,7-3,8		•	•	•	•	•	•	•		3000



Flags

Flag Receptacle Holder Connectors

Figure	Part number	Ways	PA66V2 Black	PBT-GF30 Black
	26335**	2		
	26338**			

Flag receptacle housings

Figure	Part number	Ways	To terminal	PA66V2 Natural	PPS Black
	Standard Housing				
	26339**	1	5725.00		
	H1 Connector				
	2633435	1			